



LOADER ATTACHMENTS



EQUIPMENT
MANUFACTURER


• SNOW REMOVAL

•• EXCAVATION

••• AGRICULTURAL




BUCKETS




Tapered design (2 degrees) to load and unload the material effectively.



HARDOX® 450 3/16"
EQUIVALENT IMPACT RESISTANCE TO
1/2" COMMERCIAL STEEL BUT
59% LIGHTER.



Protected exterior welds on each side to minimize contact with the ground improving durability.




Leading edge parts made of HARDOX® 450 to increase durability and service life.


Reversible bolt-on wear parts to reduce downtime. Easily interchangeable.



HYDRAULIC QUICK COUPLERS




Rugged structure for optimal visibility.



Welded structure assembly. Axes and stoppers machined with precision.

PALLET FORKS



WHEEL LOADER ATTACHMENTS

Buckets - EWBU

Models	Capacity	Width	Height	Weight	Attach Style	Cutting Edge	Recommended Wheel Loaders	
							Capacity	Weight
EWBU-078-110V-C	1.1 yd³	78"	36"	800 lbs	As required	Bolted	1 yd³	10,000 lbs
EWBU-084-120V-C	1.2 yd³	84"	36"	800 lbs	As required	Bolted	1.5 yd³	13,000 lbs
EWBU-084-140V-C	1.4 yd³	84"	39"	950 lbs	As required	Bolted	1.5 yd³	15,000 lbs
EWBU-094-200V-C	2 yd³	94"	45"	1,200 lbs	As required	Bolted	2 yd³	18,000 lbs
EWBU-101-250V-C-ISO	2.5 yd³	101"	48"	1,902 lbs	ISO	Bolted	2.5 yd³	26,000 lbs
EWBU-106-300V-C-ISO	3 yd³	106"	50"	2,432 lbs	ISO	Bolted	3 yd³	30,000 lbs
EWBU-108-350V-C-ISO	3.5 yd³	108"	50"	2,634 lbs	ISO	Bolted	3.25 yd³	35,000 lbs



Pallet Forks

Models	Capacity	Width	Height	Fork Length	Weight	Fork Type	Attach Style
FPF48-55-48	5,500 lbs	48"	30"	48"	650 lbs	Floating	As required
FPF48-75-48	7,500 lbs	48"	30"	48"	775 lbs	Floating	As required
FPF48-100-48	10,000 lbs	48"	36"	48"	998 lbs	Floating	As required
EWF-ISO-80-140-72	14,000 lbs	84"	40"	72"	1,874 lbs	Floating	ISO




SKID STEER ATTACHMENTS



Buckets - BSS & BSSD

Models	Capacity	Width	Height	Weight	Cutting Edge/Teeth	Recommended Skid Steers	
						Power	Weight
BSS-66	0.55 yd³	66"	25"	457 lbs	Bolted or teeth	60 hp	7,500 lbs
BSS-72	0.60 yd³	72"	25"	487 lbs	Bolted or teeth	75 hp	9,000 lbs
BSS-78	0.65 yd³	78"	25"	587 lbs	Bolted or teeth	75 hp	10,000 lbs
BSS-84	0.70 yd³	84"	25"	623 lbs	Bolted or teeth	100 hp	12,500 lbs



Pallet Forks - FPS

Models	Capacity	Length	Height	Fork Length	Models	Fork Type	Attach Style
FPS48-40-48	4,000 lbs	48"	32"	48"	500 lbs	Fixed	SKID
FPS48-55-48	5,500 lbs	48"	32"	48"	528 lbs	Fixed	SKID



EQUIPMENT
MANUFACTURER

• SNOW REMOVAL

• • EXCAVATION

• • • AGRICULTURAL

